Product Name: **Licefreee Home™** PAGE 1 of 6

Tec Laboratories, Inc. Issue Date: 10 Aug 2021

Revision No. 03

#### 1. IDENTIFICATION

Product name: Licefreee Home™

CAS number: Not available for this mixture

Chemical family: Pesticide EPA Registration No.: 50830-4

Recommended Uses: Direct lice control spray, for use on bedding, furniture, and other inanimate

objects infested with lice. Do not spray directly on plants, animals, humans or

food.

Manufacturer: Tec Laboratories, Inc.

7100 Tec Labs Way SW Albany, Oregon 97321

Emergency telephone number: (541) 926-4577 24-Hour Emergency Assistance: 1-800-535-5053

Email: info@teclabsinc.com

### 2. HAZARD(S) IDENTIFICATION

Classification: Flammable liquid, Category 3

Eye damage/irritation, Category 2B

Symbol:





Signal word: Warning

Hazard statements: Flammable liquid and vapor

Causes eye irritation

**Precautionary Statements:** 

### **Prevention (Flammability)**

Keep away from heat, sparks, open flames, and hot surfaces – No smoking.

Keep container tightly closed.

Use explosion-proof electrical, ventilating, and lighting equipment and non-

sparking tools.

Take precautionary measures against static discharge.

Wear protective gloves/eye protection/face protection when handling in bulk

and during prolonged use.

**Prevention (Eye damage/irritation)** 

Wash hands thoroughly after handling.

Avoid applying in or near eyes.

Wear eye protection/face protection when handing in bulk.

Product Name: **Licefreee Home™** PAGE 2 of 6

Tec Laboratories, Inc. Issue Date: 10 Aug 2021

Revision No. 03

3. COMPOSITION/INFORMATION ON INGREDIENTS

Product name: Licefreee Home™

Hazardous ingredients: None

CAS NUMBER CHEMICAL NAME PERCENT BY WEIGHT

Active ingredient: 5989-27-5 D-limonene 5%

Other ingredients: The specific chemical identity and/or exact percentage (concentration) of

ingredient composition is withheld as proprietary.

4. FIRST AID MEASURES

Skin: If on sensitive skin: wash with plenty of water for at least 15 minutes. If skin

irritation occurs, get medical advice/attention.

Eyes: If in eyes: Hold eye open and rinse and gently with water for 15-20 minutes.

Remove contact lenses, if present and after the first five minutes, then continue rinsing eye. Call a poison control center or doctor for treatment

advice.

Inhalation: If inhaled: move person to fresh air and keep comfortable for breathing. Seek

medical attention if you feel unwell.

Ingestion: If ingested: rinse mouth and drink several glasses of water. Seek medical

attention if you feel unwell.

NOTE TO PHYSICIAN: There is no specific antidote. Treatment of over-exposure should be directed

at the control of symptoms and the clinical solution.

5. FIREFIGHTING MEASURES

Extinguishing media: Foam for large fires, carbon dioxide, water fog or dry chemical for small fires

Exposure hazards: None known

Firefighting procedures: Firefighters must use standard protective equipment including flame retardant

coat, helmet with face shield, gloves, rubber boots, and enclosed spaces, SCBA. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode. Move containers from fire area if safe to do so. Cool closed containers exposed to fire with water spray. Do not allow run-off from firefighting to enter drains

or water courses. Dike for water control.

Combustion products: No data available

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Refer to Section 8 of the SDS for personal protection details

Environmental precautions: Absorbed material should be landfilled according to Federal, State and local

regulations

Clean-up procedures: Contain spilled material. Ventilate the spill area. Prevent runoff from entering

drains, sewers, or streams. Absorb material with an inert absorbent. Sweep up and place in a closed container. Clean up residual materials by washing area

with water. Surfaces may become slippery after spillage.

Product Name: **Licefreee Home™**PAGE 3 of 6

Tec Laboratories, Inc.

Issue Date: 10 Aug 2021

Revision No. 03

7. HANDLING AND STORAGE

Handling requirements: Avoid contact with eyes or clothing. Wash thoroughly with soap and water

after handling and before eating, drinking, chewing gum, using tobacco or

using the toilet.

Storage conditions: Store in original closed container. Store in a cool, dry place. Do not contaminate

water, food, or feed by storage or disposal. Do not store neat heat or open

flame.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure limits: None

Respiratory protection: None required for normal use Hand protection: None required for normal use

Eye protection: None required for normal use. Avoid spraying product in or around eyes.

Skin protection: None required for normal use

When handling in bulk: Wear OSHA approved safety glasses, chemical goggles or face shield. Wear

rubber gloves. To avoid excessive exposure, wear impervious boots and clothing. Use general exhaust in all areas, local exhaust where high

concentrations exist. Respiratory protection not necessary.

9. PHYSICAL AND CHEMICAL PROPERTIES

State: Liquid Color: White

Odor: Citrus, orange-like

Odor threshold: Not available

pH: About 6.7

Melting point: Not available Freezing point: Not available Boiling point: Not available

Flash point (closed cup): 54.5°C (ASTM D93)

Evaporation rate: Not available
Solubility(ies): Soluble in water
Flammability (solid, gas): Not applicable
Flammability limits: Not available

Explosion limits: Not available
Vapor pressure: Not available
Vapor density: Not available
Partition coefficient: Not available
Specific gravity: 1.0047 @ 25°C

Viscosity: Not a viscous liquid

Auto-ignition temperature: Unknown

Density: 8.38 lbs/gallon

Decomposition temperature: Not available

10. STABILITY AND REACTIVITY

Stability: Stable

Reactivity: Not available

Product Name: **Licefreee Home™** PAGE 4 of 6

Tec Laboratories, Inc. Issue Date: 10 Aug 2021

Revision No. 03

Possibility of hazardous reactions: None are known

Conditions to avoid: Direct sources of heat. Do not use in areas without adequate ventilation. Avoid

contact with incompatible materials.

Materials to avoid: Strong acids, strong oxidizing agents

Hazardous decomposition products: None

Hazardous polymerization: Will not occur

#### 11. TOXICOLOGICAL INFORMATION

Primary routes of entry: Skin, eyes, ingestion, inhalation

Acute oral toxicity:  $LD_{50} > 5000 \text{mg/kg}$ , EPA Toxicity Category IV Acute dermal toxicity:  $LD_{50} > 5000 \text{mg/kg}$ , EPA Toxicity Category IV

Skin corrosion/irritation: Primary Skin Irritation Index: 1.25, EPA Toxicity Category IV
Eye damage/irritation: Draize Scoring System: 7.33/110, EPA Toxicity Category III

Skin sensitization: Buehler Technique: sensitization not induced in test group, EPA Category IV

Acute inhalation toxicity: LC<sub>50</sub>> 2.45mg/L, EPA Toxicity Category IV

Germ cell mutagenicity: No data available

Carcinogenity: Not listed as a cancer causing agent by NTP, IARC, or OSHA

Reproductive toxicity: No data available STOT-single exposure: No data available STOT-repeated exposure: No data available Aspiration hazard: No data available

Potential health effects: Eyes: may cause moderate eye irritation

Signs and Symptoms of Exposure: May cause moderate irritation of the eyes. May sting sensitive skin and cause

redness that subsides. Vapors may present an overwhelming odor.

Occupation Exposure Limit: Not established

#### 12. ECOLOGICAL INFORMATION

Toxicity: No data available

Persistence and biogradability: No data available

Mobility: No data available

Other adverse effects: No data available

#### 13. DISPOSAL CONSIDERATIONS

Disposal methods: Do not contaminate water, food, or feed by storage or disposal. Non-refillable

container. Do not reuse or refill this container. If empty: place in trash or offer for recycling if available. If party filled: call your local waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

#### 14. TRANSPORT INFORMATION

U.S. DOT Shipping Name: Licefreee Home™

USDOT/PHMSA: This product was tested according to ASTM D 4206, Standard Test Method for

Sustained Burning of Liquid Mixtures Using the Small Scale Open-Cup

Apparatus. The results of that test indicate this product is not able to sustain

combustion.

Pursuant to 49 CFR 173.121(a)(3), a liquid with a flash point greater than 35  $^{\circ}$ C (95  $^{\circ}$ F) that does not sustain combustion according to ASTM D 4206 is not

Product Name: Licefreee Home™ Tec Laboratories, Inc. PAGE 5 of 6 Issue Date: 10 Aug 2021 Revision No. 03

auid. The flack point of this

subject to classification as a Class 3 Flammable Liquid. The flash point of this product (see section 9 of this SDS) is greater than 35 °C (95 °F). Therefore, this product is not subject to classification as a Class 3 Flammable Liquid.

Since this product meets no other criteria for regulation as a hazardous material, it is not subject to regulation under the USDOT/PHMSA Hazardous Materials Regulations

ICAO/IATA:

This product was tested according to the Sustained Combustibility Test prescribed in the UN Manual of Tests and Criteria, part III, subsection 32.5.2. The results of that test indicate this product is not able to sustain combustion.

Pursuant to 3.3.1.3(a) of the IATA Dangerous Goods Regulations, a liquid with a flash point greater than 35 °C that does not sustain combustion according to the UN Manual of Tests and Criteria, part III, subsection 32.5.2 is not subject to classification as a Class 3 Flammable Liquid. The flash point of this product (see section 9 of this SDS) is greater than 35 °C (95 °F). Therefore, this product is not subject to classification as a Class 3 Flammable Liquid.

Per 3.9.2.4.1 of the IATA Dangerous Goods Regulations D-limonene (a component of this product) may meet the criteria for an Environmentally Hazardous Substance — Aquatic Environment. Per 7.1.5.3.1, Note 2 and special provision A197, an Environmentally Hazardous Substance in a packaging of  $\leq$ 5 L or 5 kg is not subject to regulation. This product is packaged and shipped by Tec Laboratories, Inc. with a net capacity of  $\leq$ 5 L or 5 kg. Therefore, this product as packaged and shipped by Tec Laboratories, Inc. is not subject to classification as an Environmentally Hazardous Substance — Aquatic Environment.

Since this product meets no other criteria for regulation as a dangerous good, it is not subject to regulation under the IATA Dangerous Goods Regulations.

IMO: This product was tested according to the Sustained Combustibility Test prescribed in the UN Manual of Tests and Criteria, part III, subsection 32.5.2. The results of that test indicate this product is not able to sustain combustion. Pursuant to 2.3.1.3.1 of the IMO Dangerous Goods Code, a liquid with a flash point greater than 35 °C that does not sustain combustion according to the UN Manual of Tests and Criteria, part III, subsection 32.5.2 is not subject to classification as a Class 3 Flammable Liquid. The flash point of this product (see section 9 of this SDS) is greater than 35 °C (95 °F). Therefore, this product is not subject to classification as a Class 3 Flammable Liquid.

Product Name: Licefreee Home™

Tec Laboratories, Inc.

PAGE 6 of 6 Issue Date: 10 Aug 2021

Revision No. 03

Per 2.10.2 of the IMO Dangerous Goods Code D-limonene (a component of this product) may meet the criteria for a Marine Pollutant.

Per 2.10.2.7 a marine pollutant in a packaging of ≤5 L or 5 kg is not subject to regulation as a marine pollutant. This product is packaged and shipped by Tec Laboratories, Inc. with a net capacity of ≤5 L or 5 kg. Therefore, this product as packaged and shipped by Tec Laboratories, Inc. is not subject to classification as a Marine Pollutant.

Since this product meets no other criteria for regulation as a dangerous good, it is not subject to regulation under the IMO Dangerous Goods Code.

NOTE: Please consult 49 CFR Subchapter C to ensure subsequent shipments comply

with regulation.

#### 15. REGULATORY INFORMATION

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below:

KEEP OUT OF REACH OF CHILDREN **CAUTION** Causes moderate eye irritation Combustible

This SDS was prepared in accordance with 29CFR 1910.1200 OSHA Hazard Communication

#### 16. OTHER INFORMATION

Revision date: 10 Aug 2021

Revision indicator: Revision to Section 14

Disclaimer: The information contained herein is accurate to the best of our knowledge. Tec

> Laboratories, Inc. makes no warranty of any kind, expressed or implied, concerning the safe personal use of this material or in combination with other substances. Please refer to the pesticide label for complete directions for use and additional warning information. Tec Labs will not accept liability for

damage or injury resulting from misuse.